



US010177734B2

(12) **United States Patent**  
**Burak et al.**

(10) **Patent No.:** **US 10,177,734 B2**  
(45) **Date of Patent:** **Jan. 8, 2019**

(54) **SURFACE ACOUSTIC WAVE (SAW) RESONATOR**

(71) Applicant: **Avago Technologies General IP (Singapore) Pte. Ltd.**, Singapore (SG)

(72) Inventors: **Dariusz Burak**, Fort Collins, CO (US); **Suresh Sridaran**, Fort Collins, CO (US); **Stephen Roy Gilbert**, San Francisco, CA (US); **Richard C. Ruby**, Menlo Park, CA (US)

(73) Assignee: **Avago Technologies International Sales Pte. Limited** (SG)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 255 days.

(21) Appl. No.: **15/143,526**

(22) Filed: **Apr. 30, 2016**

(65) **Prior Publication Data**

US 2017/0063339 A1 Mar. 2, 2017

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 14/835,679, filed on Aug. 25, 2015, now Pat. No. 10,020,796, and (Continued)

(51) **Int. Cl.**  
**H03H 9/25** (2006.01)  
**H03H 9/64** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC .... **H03H 9/02574** (2013.01); **H03H 9/02866** (2013.01); **H03H 9/6483** (2013.01);  
(Continued)

(58) **Field of Classification Search**

CPC ..... H03H 9/02543; H03H 9/02559; H03H 9/02574; H03H 9/02614; H03H 9/02622;  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,887,887 A 6/1975 Wagers et al.  
4,163,201 A 7/1979 Takahashi et al.  
(Continued)

FOREIGN PATENT DOCUMENTS

JP 05-063500 A \* 3/1993  
JP 2001-053579 A \* 2/2001

OTHER PUBLICATIONS

English language machine translation of JP 2001-053579 A, published Feb. 23, 2001, 7 pages.\*


(Continued)

*Primary Examiner* — Barbara Summons

(57) **ABSTRACT**

A surface acoustic wave (SAW) resonator includes a piezoelectric layer disposed over a substrate, and a plurality of electrodes disposed over the first surface of the piezoelectric layer. A layer is disposed between the substrate and the piezoelectric layer. A surface of the layer has a smoothness sufficient to foster atomic bonding between layer and the piezoelectric layer. A plurality of features provided on a surface of the substrate reflects acoustic waves and reduce the incidence of spurious modes in the piezoelectric layer.

**27 Claims, 8 Drawing Sheets**



**Related U.S. Application Data**

a continuation-in-part of application No. 15/009,801, filed on Jan. 28, 2016, now Pat. No. 9,991,870, and a continuation-in-part of application No. 15/136,866, filed on Apr. 22, 2016.

- (51) **Int. Cl.**  
*H03H 9/09* (2006.01)  
*H03H 9/02* (2006.01)
- (52) **U.S. Cl.**  
 CPC ..... *H03H 9/02559* (2013.01); *H03H 9/02614* (2013.01); *H03H 9/6496* (2013.01)
- (58) **Field of Classification Search**  
 CPC ..... H03H 9/02653; H03H 9/02818; H03H 9/02866; H03H 9/64; H03H 9/6483; H03H 9/6496  
 USPC ..... 333/193-196; 310/313 B, 313 D  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,388,600 A	6/1983	Wakino et al.	
4,879,487 A	11/1989	Sugai et al.	
5,235,233 A *	8/1993	Yamamoto .....	H03H 9/02976 310/313 A
5,446,330 A	8/1995	Eda et al.	
5,708,402 A	1/1998	Hachisu et al.	
6,060,818 A	5/2000	Ruby et al.	
7,067,956 B2	6/2006	Imai et al.	
7,148,769 B2	12/2006	Takano	
7,213,314 B2	5/2007	Abbott et al.	
7,331,092 B2	2/2008	Miura et al.	
7,501,912 B2	3/2009	Jamneala et al.	
7,504,759 B2	3/2009	Sobu et al.	
7,609,129 B2	10/2009	Yokota et al.	
7,675,387 B2	3/2010	Sakiyama et al.	
7,728,485 B2	6/2010	Handtmann et al.	
7,800,464 B2	9/2010	Tajima et al.	
7,939,987 B1	5/2011	Solal et al.	
8,035,464 B1	10/2011	Abbott et al.	
6,060,818 C1	12/2011	Ruby et al.	
8,149,500 B2 *	4/2012	Godshalk .....	H03H 3/04 359/305

8,390,397 B2	3/2013	Jamneala et al.	
8,587,391 B2	11/2013	Gilbert et al.	
8,664,835 B2 *	3/2014	Matsuda .....	H03H 9/02102 310/313 R
8,866,365 B2 *	10/2014	Hori .....	H03H 3/02 310/313 R
8,946,904 B2	2/2015	Railkar et al.	
8,997,320 B2	4/2015	Fuyutsume et al.	
9,243,316 B2	1/2016	Larson, III et al.	
9,391,666 B1	7/2016	Handtmann et al.	
9,991,870 B2 *	6/2018	Gilbert .....	H03H 9/02574
2003/0022412 A1	1/2003	Higgins et al.	
2003/0199105 A1	10/2003	Kub	
2004/0226162 A1 *	11/2004	Miura .....	H03H 3/08 29/594
2005/0088257 A1	4/2005	Ruby et al.	
2006/0043822 A1	3/2006	Yokota	
2007/0120623 A1 *	5/2007	Sakiyama .....	H03H 9/02574 333/133
2008/0024037 A1	1/2008	Tamura	
2008/0106354 A1	5/2008	Kando	
2014/0132117 A1	5/2014	Larson, III	
2014/0145558 A1 *	5/2014	Hori .....	H03H 3/02 310/313 R
2014/0227434 A1	8/2014	Iwamoto	
2014/0320234 A1	10/2014	Takemura	
2015/0069882 A1	3/2015	Umeda et al.	
2015/0171823 A1	6/2015	Brawley	
2015/0244346 A1	8/2015	Feng et al.	
2017/0063329 A1	3/2017	Gilbert et al.	
2017/0063330 A1	3/2017	Gilbert et al.	
2017/0063331 A1	3/2017	Gilbert et al.	
2017/0063332 A1	3/2017	Gilbert et al.	
2017/0063333 A1	3/2017	Gilbert et al.	
2017/0063338 A1	3/2017	Gilbert et al.	
2017/0063339 A1	3/2017	Burak et al.	
2017/0085247 A1	3/2017	Ruby et al.	
2017/0222619 A1	8/2017	Iwamoto	
2017/0250673 A1	8/2017	Ruby et al.	
2017/0302251 A1	10/2017	Ruby et al.	

OTHER PUBLICATIONS

English language machine translation of JP 05-063500 A, published Mar. 12, 1993, 3 pages.\*

\* cited by examiner




FIG.1A




FIG.1B




FIG.1C




FIG.1D




FIG.1E




FIG.1F




FIG.2




FIG.3

## SURFACE ACOUSTIC WAVE (SAW) RESONATOR

### CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part under 37 C.F.R. § 1.53(b) of, and claims priority under 35 U.S.C. § 120 from: U.S. patent application Ser. No. 14/835,679, filed on Aug. 25, 2015, naming Stephen Roy Gilbert, et al. as inventors; U.S. patent application Ser. No. 15/009,801 filed on Jan. 28, 2016 naming Stephen Roy Gilbert, et al. as inventors; and from U.S. patent application Ser. No. 15/136,866, filed on Apr. 22, 2016, naming Darius Burak, et al. as inventors. The entire disclosures of U.S. patent application Ser. No. 14/835,679, U.S. patent application Ser. No. 15/136,866, and U.S. patent application Ser. No. 15/009,801 are specifically incorporated herein by reference.

### BACKGROUND

Electrical resonators are widely incorporated in modern electronic devices. For example, in wireless communications devices, radio frequency (RF) and microwave frequency resonators are used in filters, such as filters having electrically connected series and shunt resonators forming ladder and lattice structures. The filters may be included in a duplexer (duplexer, triplexer, quadplexer, quintplexer, etc.) for example, connected between an antenna (there could be several antennas like for MIMO) and a transceiver for filtering received and transmitted signals.

Various types of filters use mechanical resonators, such as surface acoustic wave (SAW) resonators. The resonators convert electrical signals to mechanical signals or vibrations, and/or mechanical signals or vibrations to electrical signals.

While certain surface modes are desired, certain standing spurious modes can exist between the opposing faces of the piezoelectric material of the SAW resonator. These spurious modes are parasitic, and can impact the performance of filters comprising SAW resonators.

What is needed, therefore, is a SAW resonator structure that overcomes at least the shortcomings of known SAW resonators described above.

### BRIEF DESCRIPTION OF THE DRAWINGS

The example embodiments are best understood from the following detailed description when read with the accompanying drawing figures. It is emphasized that the various features are not necessarily drawn to scale. In fact, the dimensions may be arbitrarily increased or decreased for clarity of discussion. Wherever applicable and practical, like reference numerals refer to like elements.

FIG. 1A is a top view of a SAW resonator structure according to a representative embodiment.

FIG. 1B is a graph of admittance versus frequency.

FIG. 1C is the cross-sectional view of a SAW resonator structure of FIG. 1A along line 1C-1C.

FIG. 1D is a cross-sectional view of a portion of the SAW resonator structure of FIG. 1C.

FIG. 1E is a cross-sectional view of a portion of a SAW resonator structure in accordance with a representative embodiment.

FIG. 1F is a cross-sectional view of a portion the SAW resonator structure of FIG. 1C.

FIG. 2 is a cross-sectional view of a portion of a SAW resonator structure in accordance with a representative embodiment.

FIG. 3 is a simplified schematic block diagram of a filter comprising a SAW resonator structure according to a representative embodiment.

### DETAILED DESCRIPTION

In the following detailed description, for purposes of explanation and not limitation, representative embodiments disclosing specific details are set forth in order to provide a thorough understanding of the present teachings. However, it will be apparent to one having ordinary skill in the art having had the benefit of the present disclosure that other embodiments according to the present teachings that depart from the specific details disclosed herein remain within the scope of the appended claims. Moreover, descriptions of well-known apparatuses and methods may be omitted so as to not obscure the description of the representative embodiments. Such methods and apparatuses are clearly within the scope of the present teachings.

It is to be understood that the terminology used herein is for purposes of describing particular embodiments only, and is not intended to be limiting. Any defined terms are in addition to the technical and scientific meanings of the defined terms as commonly understood and accepted in the technical field of the present teachings.

As used in the specification and appended claims, the terms ‘a’, ‘an’ and ‘the’ include both singular and plural referents, unless the context clearly dictates otherwise. Thus, for example, ‘a device’ includes one device and plural devices.

As used in the specification and appended claims, and in addition to their ordinary meanings, the terms ‘substantial’ or ‘substantially’ mean to with acceptable limits or degree. For example, ‘substantially cancelled’ means that one skilled in the art would consider the cancellation to be acceptable.

As used in the specification and the appended claims and in addition to its ordinary meaning, the term ‘approximately’ means to within an acceptable limit or amount to one having ordinary skill in the art. For example, ‘approximately the same’ means that one of ordinary skill in the art would consider the items being compared to be the same.

Relative terms, such as “above,” “below,” “top,” “bottom,” “upper” and “lower” may be used to describe the various elements’ relationships to one another, as illustrated in the accompanying drawings. These relative terms are intended to encompass different orientations of the device and/or elements in addition to the orientation depicted in the drawings. For example, if the device were inverted with respect to the view in the drawings, an element described as “above” another element, for example, would now be “below” that element. Similarly, if the device were rotated by 90° with respect to the view in the drawings, an element described “above” or “below” another element would now be “adjacent” to the other element; where “adjacent” means either abutting the other element, or having one or more layers, materials, structures, etc., between the elements.

In accordance with a representative embodiment, a SAW resonator structure comprises a substrate having a first surface and a second surface. The first surface of the substrate has a plurality of features. A piezoelectric layer is disposed over the substrate. The piezoelectric layer has a first surface and a second surface. A plurality of electrodes is disposed over the first surface of the piezoelectric layer,

and the plurality of electrodes is configured to generate surface acoustic waves in the piezoelectric layer. The SAW resonator structure also comprises a layer disposed between the first surface of the substrate and the second surface of the piezoelectric layer, the first surface of the layer having a smoothness sufficient to foster atomic bonding between the first surface of the layer and the second surface of the piezoelectric layer, wherein the plurality of features reflect acoustic waves back into the piezoelectric layer.

FIG. 1A is a top view of a SAW resonator structure **100** according to a representative embodiment. Notably, the SAW resonator structure **100** is intended to be merely illustrative of the type of device that can benefit from the present teachings. Other types of SAW resonators, including, but not limited to dual mode SAW (DMS) resonators, and Coupled Resonator Filters (CRFs), are contemplated by the present teachings. The SAW resonator structure **100** of the present teachings is contemplated for a variety of applications. By way of example, and as described in connection with FIG. 3, a plurality of SAW resonator structures of the present teachings can be connected in a series/shunt arrangement to provide a ladder filter. The use of the SAW resonators for ladder filters is merely illustrative, and other filter arrangements including half ladder filters, and lattice filters are contemplated by the present teachings.

The SAW resonator structure **100** comprises a piezoelectric layer **103** disposed over a substrate (not shown in FIG. 1A). In accordance with representative embodiments, the piezoelectric layer **103** comprises one of lithium niobate (LiNbO<sub>3</sub>), which is commonly abbreviated LN; or lithium tantalate (LiTaO<sub>3</sub>), which is commonly abbreviated LT.

The SAW resonator structure **100** comprises an active region **101**, which comprises a plurality of interdigitated electrodes **102** disposed over a piezoelectric layer **103**, with acoustic reflectors **104** situated on either end of the active region **101**. In the presently described representative embodiment, electrical connections are made to the SAW resonator structure **100** using the busbar structures **105**.

As is known, the pitch of the resonator electrodes determines the resonance conditions, and therefore the operating frequency of the SAW resonator structure **100**. Specifically, the interdigitated electrodes are arranged with a certain pitch between them, and a surface wave is excited most strongly when its wavelength  $\lambda$  is the same as the pitch of the electrodes. The equation  $f_0=v/\lambda$  describes the relation between the resonance frequency ( $f_0$ ), which is generally the operating frequency of the SAW resonator structure **100**, and the propagation velocity ( $v$ ) of a surface wave. These SAW waves comprise Rayleigh or Leaky waves, as is known to one of ordinary skill in the art, and form the basis of function of the SAW resonator structure **100**.

Generally, there is a desired fundamental mode, which is typically a Leaky mode, for the SAW resonator structure **100**. By way of example, if the piezoelectric layer **103** is a 42° rotated LT, the shear horizontal mode, having a displacement in the plane of the interdigitated electrodes **102** (the x-y plane of the coordinate system of FIG. 1A). The displacement of this fundamental mode is substantially restricted to near the upper surface (first surface **110** as depicted in FIG. 1C) of the piezoelectric layer **103**. It is emphasized that the 42° rotated LT piezoelectric layer **103**, and the shear horizontal mode are merely illustrative of the piezoelectric layer **103** and desired fundamental mode, and other materials and desired fundamental modes are contemplated.

However, other undesired modes, which are often referred to as spurious modes, are established. Turning to FIG. 1B, a

graph of admittance versus frequency is depicted for the illustrative 42° rotated LT piezoelectric layer **103**. The desired fundamental mode, the shear horizontal mode **106**, is substantially restricted to the upper surface of the piezoelectric layer **103**, and has a frequency at series resonance ( $F_s$ ). However, a number spurious modes **107**, having frequencies greater than the frequency at parallel resonance ( $F_p$ ), can exist in the piezoelectric layer **103**. As described more fully below, these spurious modes **107** are created by acoustic waves generated in the piezoelectric layer **103** that establish standing waves of various kinds of modes (with different modal shapes and frequencies). More specifically, some of these spurious modes **107** may be created by reflections at the interface of the piezoelectric layer **103** and the substrate (see FIG. 1C) of the SAW resonator structure **100**. Moreover, bulk modes may be generated in the piezoelectric layer, which may be reflected back into the piezoelectric layer **103**. These bulk modes are also spurious, and further reduce the performance of the SAW resonator.

The spurious modes can deleteriously impact the performance of SAW resonators, and devices (e.g., filters) that include SAW resonators, if not mitigated. Most notably, if a first filter is comprised of one or more SAW resonators, and is connected to a second filter having a passband that overlaps the frequency of the spurious modes, a sharp reduction in the quality (Q) of the second filter passband will occur. The spurious modes are observed on a so-called Q-circle (sometimes referred to as an S-circle) of a Smith Chart of the S<sub>11</sub> parameter. These sharp reductions in Q-factor are known as “rattles,” and are strongest in the southeast quadrant of the Q-circle. Beneficially, significant mitigation of the adverse impact of these spurious modes is realized by the various aspects of the present teachings as described below.

FIG. 1C is a cross-sectional view of the SAW resonator structure **100** depicted in FIG. 1A along the lines 1C-1C. The SAW resonator structure **100** comprises a substrate **108** disposed beneath the piezoelectric layer **103**, and an acoustic wave suppression layer **109** disposed between the substrate **108** and the piezoelectric layer **103**.

As noted above, the piezoelectric layer **103** illustratively comprises one of LN or LT. Generally, in the representative embodiments described below, the piezoelectric layer **103** is a wafer that is previously fabricated, and that is adhered to the acoustic wave suppression layer **109** by atomic bonding as described more fully below.

The materials selected for the piezoelectric layer **103** can be divided into two types: one which has been used for a long time and with a high degree of freedom in design is used for Rayleigh wave substrates; the other, with less freedom and limited in design, is for Leaky wave substrates with low loss characteristics and easily reaches the higher frequencies by high acoustic velocity, and are mainly used for mobile communications. LN and LT materials are often used for broadband filters, and according to the filter specifications the manufacturing materials and cutting angles differ. Filters for applications that require comparatively low loss mainly generally require Leaky wave materials, while Rayleigh wave materials are predominately used for communication equipment that requires low ripple and low group delay characteristics. Among Rayleigh wave materials, ST-cut crystal has the best temperature characteristics as a piezoelectric material.

In accordance with a representative embodiment, the substrate **108** comprises crystalline silicon, which may be polycrystalline or monocrystalline, having thickness of approximately 100.0  $\mu\text{m}$  to approximately 800.0  $\mu\text{m}$ . As will

become clearer as the present description continues, the material selected for use as the substrate **108**, among other considerations, is selected for ease of micromachining, using one or more of a variety of known techniques. Accordingly, other polycrystalline or monocrystalline materials besides silicon are contemplated for use as the substrate **108** of the SAW resonator structure **100**. By way of example, these materials include, but are not limited to, glass, single crystal aluminum oxide ( $\text{Al}_2\text{O}_3$ ) (sometimes referred to as “sapphire”), and polycrystalline  $\text{Al}_2\text{O}_3$ , to name a few. In certain representative embodiments, in order to improve the performance of a filter comprising SAW resonator structure(s) **100**, the substrate **108** may comprise a comparatively high-resistivity material. Illustratively, the substrate **108** may comprise single crystal silicon that is doped to a comparatively high resistivity.

The acoustic wave suppression layer **109** is selected so that longitudinal modes, or shear modes, or both, traversing the layer have a velocity that is less than their respective velocities in either the piezoelectric layer **103**, or in the substrate **108**. Moreover, the acoustic wave suppression layer **109** comprises a material amenable to polishing to a high degree of smoothness, as described in U.S. patent application Ser. No. 14/835,679 and in U.S. patent application Ser. No. 15/009,801.

In accordance with certain representative embodiments, acoustic wave suppression layer **109** comprises carbon doped silicon oxide (CDO), for example CDO26 and CDO40. Here, for illustrative purposes CDO26 designates a material layer where a CDO material is deposited onto substrate **108** (e.g., Si) at a pressure of 2.6 torr, and CDO40 designates a material layer where a CDO material is deposited onto substrate **108** at a pressure of 4.0 torr. Of course other deposition conditions are possible leading to CDO materials with slightly different acoustic characteristics. In other embodiments, other materials may be employed for acoustic wave suppression layer **109**.

U.S. Pat. No. 8,390,397, issued to Jamneala et al. on Mar. 5, 2013, and U.S. Pat. No. 8,587,391 to Gilbert et al., both of which incorporated herein by reference, describe some details regarding methods of producing devices which include SiLK™ and CDO material layers.

Table 1 below lists some estimated characteristics for some materials which may be employed in various embodiments of SAW resonator structure **100**.

TABLE 1

Material	Layer	Density	VL (m/s)	VS (m/s)	ZL (MR)	ZS (MR)
LiTaO <sub>3</sub>	Piezo-electric	7.45	6085	3568	45.3	26.6
42deg LiTaO <sub>3</sub>	Piezo-electric	7.45	5885	3393	43.8	25.3
LiNbO <sub>3</sub>	Piezo-electric	4.63	6940	3600	32.1	16.7
Si	Substrate	2.33	8437	5820	19.7	13.6
Sapphire	Substrate	3.98	10658	5796	42.4	23.1
CDO40	Absorbing Layer	1.16	2334	1459	2.7	1.7
CDO26	Absorbing Layer	1.43	3737	2336	5.3	3.3

In Table 1, VL designates a longitudinal velocity of an acoustic wave in the material, VS designates a shear velocity of an acoustic wave in the material, ZL designates a longitudinal impedance of the material, and ZS designates a shear impedance of the material. The values of acoustic impedances ZL and ZS are provided in mega-Rayls (MR). As can be seen in Table 1, the shear velocities of CDO26 and CDO 40 are all less than the shear velocities of silicon, sapphire, LiTaO<sub>3</sub>, 42 degree LiTaO<sub>3</sub>, and LiNbO<sub>3</sub>.

In beneficial embodiments, acoustic wave suppression layer **109** may have a shear velocity (VS) greater than about 1.5 km/s and a shear impedance (ZS) greater than about 1.7 MR.

The piezoelectric layer **103** has a first surface **110**, and a second surface **111**, which opposes the first surface **110**. Similarly, the acoustic wave suppression layer **109** has a first surface **112** and a second surface **113**. As depicted in FIG. 1C, the first surface **112** of the acoustic wave suppression layer **109** is atomically bonded to the second surface **111** of the piezoelectric layer **103**, as described more fully below.

Certain known structures do not have the acoustic wave suppression layer **109**, but rather have a layer of material in which the shear velocity of an acoustic wave is greater than its velocity in piezoelectric layer **103** (e.g., 15%-25% greater shear velocity than LT or LN). As a result, a bulk wave originating from the first surface **110** of the piezoelectric layer **103** is substantially completely reflected back at the second surface **111** (interface of the piezoelectric layer and the other material) for a range of frequencies above the onset of spurious rattles. For illustrative purposes, that range of frequencies may be approximately 100 MHz. Notably, the bulk waves coming from the first surface **110** propagate at an angle (relative to the x-y plane in the coordinate system depicted in FIG. 1C). By way of example, these bulk waves are incident on the x-y plane of the first and second surfaces **110**, **111**, at an angle in the range of approximately 0 degrees to approximately 75 degrees measured relative to the y-axis of the x-y plane in the depicted coordinate system. The propagation angle of the bulk wave is determined by the fixed pitch of the interdigitated electrodes **102**, by the varying frequency of the electrical signal applied to the interdigitated electrodes **102** (also called driving frequency), and by the elastic properties and the cut of the piezoelectric layer **103**. For a driving frequency smaller than or approximately equal to the series resonance frequency  $F_s$  that propagation angle is 0 degrees relative to the x axis in the x-y plane of FIG. 1C, indicating that the acoustic wave is confined to the first surface **110** (i.e., air/piezoelectric layer interface), and that the acoustic wave is a surface acoustic wave (i.e., not a bulk acoustic wave). However, as the driving frequency increases, the acoustic wave loses confinement to the first surface **110** (i.e., the air/piezoelectric interface) and starts propagating as a bulk wave inside the piezoelectric layer **103**. Once the bulk wave reaches the interface between the piezoelectric layer **103** and the acoustic wave suppression layer **109**, the bulk wave can either be totally or partially reflected from that interface. Notably, if the propagation angle is within a certain range, for example between 0 degrees and 75 degrees relative to the x axis in the x-y plane of FIG. 1C, and the shear velocity of an acoustic wave in the acoustic wave suppression layer **109** is higher than the shear velocity of an acoustic wave in the piezoelectric layer **103**, then total internal reflection of the incident acoustic wave occurs, and the acoustic wave will be substantially fully reflected back towards the first surface **110** of the SAW resonator structure **100**. Notably, the angles of incidence are more generally a visualization tool. This is because there are at least two partial waves in the piezoelectric layer **103** at this frequency range and only one of these waves is propagating (so it has a well-defined propagation angle), while the other one is an evanescent wave.

However, as the driving frequency increases, the propagation angle of the bulk acoustic wave steepens (above approximately 75 degrees), and eventually the acoustic wave may start propagating into the acoustic wave suppression layer **109**. This may result in frequency-dependent

suppression of rattles from spurious modes **107**. As such, for driving frequencies above and relatively close to the series resonance frequency  $F_s$ , the rattles from spurious modes **107** may not be significantly suppressed by the plurality of features **116** as described below, while for driving frequencies significantly greater than  $F_s$ , the rattles from spurious modes **107** may be beneficially suppressed by the plurality of features **116**. By way of example, the first six rattles caused by spurious modes **107** shown in FIG. 1B in the frequency range from approximately 810 MHz to approximately 910 MHz may not be suppressed or only weakly suppressed, but the seventh rattle at the frequency of approximately 930 MHz may be significantly suppressed by the plurality of features **116** described below.

By contrast, acoustic wave suppression layer **109** is made of CDO. Beneficially, the shear velocity of an acoustic wave in CDO is lower than in either LT or LN, and so the acoustic energy can penetrate through the acoustic wave suppression layer **109**, and to the features **116** located at the second surface **113** at any driving frequency. To this end, and as should be appreciated by one skilled in the art, if the shear velocity of an acoustic wave in the acoustic wave suppression layer **109** is smaller than the shear velocity of an acoustic wave in the piezoelectric layer **103**, then the total internal reflection phenomenon does not occur for any driving frequency. In other words, in such case the acoustic wave will be partially transmitted through the interface between the piezoelectric layer **103** and the acoustic wave suppression layer **109**, and will interact with the plurality of features **116** underneath the acoustic wave suppression layer **109** to beneficially suppress the rattles caused by spurious modes **107** as described below. In addition, being comparatively thin (300 Å to one third of a wavelength of the resonance mode of the SAW resonator structure **100** ( $\lambda/3$ )), the acoustic wave suppression layer **109** will introduce only minimal absorption to the acoustic waves therein. As such, reduction of the Q-factor of the SAW resonator structure **100** from absorption of acoustic energy in the acoustic wave suppression layer **109** in the passband frequency range is acceptable. Finally, the CDO acoustic wave suppression layer **109** provides a suitable good planarization material to help the atomic bonding process. As a result, with CDO acoustic wave suppression layer **109** (and planarization layer) over the features **116** benefits rattle suppression, while at the same time providing suitable bonding.

The substrate **108** has a first surface **114** and a second surface **115** opposing the first surface **114**. The first surface **114** has a plurality of features **116** there-across. As noted above, undesired spurious modes are launched in the piezoelectric layer **103**, and propagate down to the first surface **114**. As described more fully below in connection with portion **117** in FIG. 1D, the plurality of features **116** reflect undesired spurious modes at various angles and over various distances to destructively interfere with the undesired spurious waves in the piezoelectric layer **103**, and possibly enable a portion of acoustic energy confined in these waves to be beneficially converted into the desired electrical signal. Again as described more fully below, the reflections provided by the plurality of features **116** foster a reduction in the degree of spurious modes (i.e., standing waves), which are created by the reflection of acoustic waves at the interface of the second surface **111** of the piezoelectric layer **103** and the first surface **112** of acoustic wave suppression layer **109**. Ultimately, the reflections provided by the plurality of features **116** serve to improve the performance of devices (e.g., filters) that comprise a plurality of SAW resonator structures **100**.

As noted above, and as described more fully below in connection with the description of portion **118** in FIG. 1F, the first surface **112** of acoustic wave suppression layer **109** is polished, such as by chemical-mechanical polishing in order to obtain a “mirror” like finish with a comparatively low root-mean-square (RMS) variation of height. This low RMS variation of height significantly improves the contact area between the first surface **112** of the acoustic wave suppression layer **109** and the second surface **111** of the piezoelectric layer **103** to improve the atomic bonding between the first surface **112** and the second surface **111**. As is known, the bond strength realized by atomic bonding is directly proportional to the contact area between two surfaces. As such, improving the flatness/smoothness of the first surface **112** fosters an increase in the contact area, thereby improving the bond of the acoustic wave suppression layer **109** to the piezoelectric layer **103**. As used herein, the term atomically smooth means sufficiently smooth to provide sufficient contact area to provide a sufficiently strong bond strength between the acoustic wave suppression layer **109** and the piezoelectric layer **103**, at the interface of their first and second surfaces **112**, **111**, respectively.

FIG. 1D is a cross-sectional view of a portion **117** SAW resonator structure **100** according to a representative embodiment. Portion **117** is depicted in FIG. 1D in magnified view to illustrate various aspects and functions of the plurality of features **116** of substrate **108** along the interface of the first surface **114** of the substrate **108** and the second surface **113** of the acoustic wave suppression layer **109**.

The shape, dimensions and spacing of the features **116** depends on their method of fabrication. For example, using a known etching technique, the plurality of features **116** are formed in the substrate **108**, and may have a generally pyramidal shape **120**, with sides **121**. Notably, some of the plurality of features **116** may have comparatively “flat” tops **122**. The features **116** also have a height **123** that may be substantially the same across the width of the interface between the substrate **108** and the acoustic wave suppression layer **109**. Moreover, the width (x-dimension in the coordinate system of FIG. 1C) of the features **116** may be the same, or may be different. Generally, however, the width of the features is on the order of the desired fundamental mode of the SAW resonator structure **100**.

Alternatively, and again depending on the method of fabrication, the height **123** of the features **116** may not be the same. Rather, by selecting the height **123** of the features to be different, a reduction in the incidence of more than one of the spurious modes can be realized.

The representative method described presently for forming features **116** are merely illustrative. Alternative methods, and thus alternative sizes and shapes of the features **116** are contemplated, and some are described below. Notably, regardless of the method used for their fabrication, the plurality of features **116** is beneficially not arranged in a repetitive pattern, and thus is non-periodic. Rather, the plurality of features **116** are typically randomly located on the substrate **108**, in order to avoid establishing conditions that would support standing waves (i.e., resonance conditions) in the piezoelectric layer **103**, and thereby reduce the incidence of spurious modes in the piezoelectric layer **103**.

The substrate **108** is illustratively single-crystal silicon, or other material having crystalline properties. The present teachings make use of the etching properties of the substrate **108** to realize the various characteristics of the features **116**. In one representative embodiment, the features **116** are formed by etching the substrate **108** along crystalline planes. In this case, the features **116** having pyramidal shapes **120**

and sides **121** that are on a “slant” foster reflections at off-angles relative to the incident direction of the acoustic waves **124**.

Turning again to FIG. 1C, acoustic waves **124** are transmitted downwardly from the piezoelectric layer **103**, having been generated by the SAW resonator structure **100**, and travel through the acoustic wave suppression layer **109**. The acoustic waves **124** are incident on one or more of the plurality of features **116**, and are reflected therefrom.

As noted above in connection with the description of FIG. 1B, there are multiple spurious modes, each corresponding to a bulk acoustic wave having a different frequency and wavelength. In accordance with a representative embodiment, the height **123** of the features **116** off the substrate **108** is approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of one or more of the spurious modes. Selecting the height **123** of the features to be approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of a particular spurious mode alters the phase of the reflected waves, and results in destructive interference by the reflected waves, and substantially prevents the establishment of standing waves, and thus spurious modes.

In some embodiments, the height **123** of the features **116** is substantially the same, and the height **123** is selected to be approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of one (e.g., a predominant) of the spurious modes. In other embodiments, the height **123** of the features **116** is not the same, but rather each different height is selected to be approximately equal to one-fourth ( $\frac{1}{4}$ ) $\lambda$  of one of the multiple spurious modes (e.g., the spurious modes **107** depicted in FIG. 1B). By selecting this one height or multiple heights, the phase of the reflected waves is altered, and results in destructive interference by the reflected waves, thereby substantially preventing the establishment of standing waves of multiple frequencies, thus preventing the establishment of multiple spurious modes.

By way of example, if the spurious modes have a frequency of 700 MHz, the wavelength  $\lambda$  is approximately 6.0  $\mu\text{m}$ . As such, the height **123** would be approximately 1.5  $\mu\text{m}$ . By contrast, if the spurious modes have a frequency of 4200 MHz, the  $\lambda$  is approximately 1.0  $\mu\text{m}$ . In this example, the height **123** would be approximately 0.25  $\mu\text{m}$ . More generally, the height **123** is in the range of less than approximately 0.25  $\mu\text{m}$  (e.g., 0.1  $\mu\text{m}$ ) to greater than approximately 1.5  $\mu\text{m}$  (e.g., 2.5  $\mu\text{m}$ ). As will be appreciated, the range for the height depends on the frequency of the fundamental mode.

The non-periodic orientation of the plurality of features **116**, the generally, angled surfaces (e.g., side **121**) provided by the plurality of features **116**, and providing the height **123** of the features **116** to be in the noted range relative to the wavelength of the propagating spurious modes combine to alter the phase of the acoustic waves **124** incident on the various features. Beneficially, these factors in combination result in comparatively diffuse reflection of the acoustic wave back through the acoustic wave suppression layer **109** and into the piezoelectric layer **103**. This comparatively diffuse reflection of the acoustic waves from the features **116** will generally not foster constructive interference, and the establishment of resonance conditions. Accordingly, the plurality of features **116** generally prevent the above-noted parasitic acoustic standing waves (i.e., spurious modes) from being established from the acoustic waves **124** generated in the piezoelectric layer **103**, which travel down and into the substrate **108**.

One measure of the impact of the parasitic spurious modes on the performance of a device (e.g., filter) comprising a SAW resonator is the quality (Q) factor. For example, the parasitic spurious modes couple at the interfaces of the

piezoelectric layer **103** and remove energy available for the desired SAW modes and thereby reduce the Q-factor of the resonator device. As is known, the Q-circle of a Smith Chart has a value of unity along its circumference. The degree of energy loss (and therefore reduction in Q) is depicted with the reduction of the  $S_{11}$  parameter off the unit circle. Notably, as a result of parasitic spurious modes and other acoustic losses, sharp reductions in Q of known devices can be observed on a so-called Q-circle of a Smith Chart of the  $S_{11}$  parameter. These sharp reductions in Q-factor are known as “rattles,” and are strongest in the southeast quadrant of the Q-circle. Beneficially, because of the diffuse reflections, and attendant phase mismatch of the reflected acoustic waves **124** realized by the plurality of features **116**, compared to such known devices, a filter comprising SAW resonator structure **100** of representative embodiments of the present teachings, show lesser magnitudes of the “rattles,” and a somewhat “spreading” of the reduced “rattles” is experienced.

As noted above, the plurality of features **116** may be formed by etching the substrate **108** to reveal crystalline planes, which thereby form the pyramidal shapes **120**. In one embodiment, the substrate is substantially monocrystalline silicon that is selectively etched to reveal well defined crystalline planes with precise orientations. By way of example, selective masking of the substrate **108** having major surfaces lying in the (110) crystalline plane is initially carried. Illustratively, an etch resistant mask of  $\text{SiO}_2$  is patterned using a buffered HF, and etching is effected by the use of an anisotropic etchant such as KOH. As is known, the depth of the etch is directly proportional to the width of the etch in this self-limiting process. This particular orientation of substrate will allow for etching to reveal sides **121** in a certain (e.g., (111)) family of planes.

In one representative method, the etch mask is patterned to provide “dots” in rather random locations over the first surface **114** of the substrate **108**. After etching, these “dots” are removed, and show the flat tops **122** of certain ones of the plurality of features **116**. The spacing of the “dots” and the duration of the etch, to the self-limiting end, determines the depth of each etch, and therefore, the height **123** of the resultant features **116**.

Again, the use of monocrystalline silicon for the substrate **108** is merely illustrative, and other materials can be processed to provide the plurality of features **116** described above.

In other representative embodiments, the plurality of features **116** have random spacing, or random orientation, or random heights, or a combination thereof. As can be appreciated, such random spacings, orientations and heights, alone or in combination can foster comparatively diffuse reflection of the acoustic waves **124** incident thereon. This diffuse reflection, in turn, alters the phase of the acoustic waves, and serves to reduce the propensity of standing waves (and thus spurious modes) from being established.

The random spacing, orientation, and heights of the plurality of features can be effected by a number of methods. For example, the plurality of features **116** may be provided by simply using an unpolished wafer for the substrate **108**. Alternatively, the second surface **115** of the substrate **108** could be rough polished by CMP, for example. While the plurality of features **116** of such an embodiment would likely not have the height relative to the wavelength of the spurious modes, the random nature of such an unpolished surface would likely provide a useful degree of diffusive reflection to avoid the establishment of a resonant condition for the spurious modes.

11

FIG. 1E is a cross-sectional view of a portion of a SAW resonator structure according to a representative embodiment. Many aspects and details of the various features and their methods of fabrication described in connection with the representative embodiments of FIG. 1E are common to those described above in connection with the representative embodiments of FIGS. 1A-1D. Such common aspects and details are often not repeated in order to avoid obscuring the description of the present representative embodiments.

Notably, the portion depicted in FIG. 1E is somewhat similar to portion 117 depicted in FIG. 1D, however differs in the depth of the polishing step used to provide first surface 112. Specifically, rather than terminating the polishing of the acoustic wave suppression layer 109 at a height significantly above the features 116, the polishing step continues and in places reveals the features 116. This polishing step thus provides, in places, comparatively "flat" tops 122. By contrast, in other places, the features 116 are not altered by the polishing.

Like the plurality of features 116 depicted in FIG. 1D, the features 116 are of the representative embodiments of FIG. 1E are formed by etching the substrate 108 along crystalline planes. In this case, the features 116 having pyramidal shapes 120 and sides 121 that are on a "slant" foster reflections at off-angles relative to the incident direction of the acoustic waves 124. Similarly, like the plurality of features 116 of FIG. 1D, the height 123 of the plurality of features 116 of the representative embodiments of FIG. 1E is approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of the one or more of the spurious modes. Selecting the height 123 of the features to be approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of a particular spurious mode alters the phase of the reflected waves, and results in destructive interference by the reflected waves, and substantially prevents the establishment of standing waves, and thus spurious modes.

In some embodiments, the height 123 of the features 116 is substantially the same, and thus the height 123 is selected to be approximately one-fourth ( $\frac{1}{4}$ ) $\lambda$  of one (e.g., a predominant) spurious modes. In other embodiments, the height 123 of the features 116 is not the same, but rather each different height is selected to be approximately equal to one-fourth ( $\frac{1}{4}$ ) $\lambda$  of one of the multiple spurious modes (e.g., one of the spurious modes 107 depicted in FIG. 1B). By selecting such multiple heights, the phase of the reflected waves is altered, and results in destructive interference by the reflected waves, thereby substantially preventing the establishment of standing waves of multiple frequencies, thus preventing the establishment of multiple spurious modes.

In other representative embodiments, the plurality of features 116 have random spacing, or random orientation, or random heights, or a combination thereof. As can be appreciated, such random spacings, orientations and heights, alone or in combination can foster comparatively diffuse reflection of the acoustic waves 124 incident thereon. This diffuse reflection, in turn, alters the phase of the acoustic waves, and serves to reduce the propensity of standing waves (and thus spurious modes) from being established.

The random spacing, orientation, and heights of the plurality of features can be effected by a number of methods. For example, the plurality of features 116 may be provided by simply using an unpolished wafer for the substrate 108. Alternatively, the second surface 115 of the substrate 108 could be rough polished by CMP, for example. While the plurality of features 116 of such an embodiment would likely not have the height relative to the wavelength of the spurious modes, the random nature of such an unpolished

12

surface would likely provide a useful degree of diffusive reflection to avoid the establishment of a resonant condition for the spurious modes.

FIG. 1F is a cross-sectional view of a portion 118 SAW resonator structure 100 according to a representative embodiment. Portion 118 is depicted in FIG. 1F in magnified view to illustrate various aspects and functions of the acoustic wave suppression layer 109 along the interface of the acoustic wave suppression layer 109 and the piezoelectric layer 103.

Unfortunately, at the atomic level the surface of such deposited films are atomically very rough. However, by polishing the CDO surface, an atomically smooth surface is provided. The surface of the acoustic wave suppression layer 109 is first planarized by polishing with a slurry, using a known CMP method. The remaining CDO can then be polished using a more refined slurry. Alternatively, a single more refined slurry can be used for both polishing steps if the additional polishing time is not objectionable. As noted above, the goal is to create a "mirror" like finish that is atomically smooth in order to foster strong atomic bonding between the acoustic wave suppression layer 109 and the piezoelectric layer 103, at the interface of their first and second surfaces 112, 111 respectively.

FIG. 1F depicts four "humps" 125 in the layer after the completion of the cleaning of the wafer described above. The "humps" depict variation in the first surface 112. The first hump has a first height,  $H_1$ , the second hump has a second height,  $H_2$ , the third hump has a third height,  $H_3$ , and the fourth hump has a fourth height,  $H_4$ . For the purposes of illustration, only four humps are shown. The root mean squared (RMS) variation in the height of the first surface 112 of the acoustic wave suppression layer 109 comprised of the four humps is in a range that provides an atomically smooth surface. As noted above, the term atomically smooth herein means sufficiently smooth to provide sufficient contact area to provide a sufficiently large bond strength between the acoustic wave suppression layer 109 and the piezoelectric layer 103, at the interface of their first and second surfaces 112, 111, respectively. Such an atomically smooth surface can be realized by providing the first surface 112 of acoustic wave suppression layer 109 having an RMS variation in height in the range of approximately 0.1 Å to approximately 10.0 Å; although beneficially, the RMS variation in height is less than approximately 5.0 Å.

As noted above, the forming of an atomically smooth first surface 112 provides an increased contact area at the interface of the first and second surfaces 112, 111, respectively, of the acoustic wave suppression layer 109 and the piezoelectric layer 103. This increased contact area, in turn, fosters a comparatively strong atomic bond between the acoustic wave suppression layer 109 and the piezoelectric layer 103. Among other benefits, the strong atomic bond between the acoustic wave suppression layer 109 and the piezoelectric layer 103 reduces separation or delamination of the acoustic wave suppression layer 109 and the piezoelectric layer 103, thereby increasing the reliability of devices comprising the SAW resonator structure 100 over time.

FIG. 2 is a cross-sectional view of the SAW resonator structure 200 in accordance with another representative embodiment. Many aspects and details of the SAW resonator structure 200 are common to the SAW resonator structure 100 described above in connection with the representative embodiments of FIGS. 1A-1F. These common aspects and

details are often not repeated in order to avoid obscuring the description of the presently described representative embodiments.

The SAW resonator structure **200** comprises a substrate **208** disposed beneath the piezoelectric layer **203**, an acoustic wave suppression layer **209** is disposed over the substrate **208**, and a silicon layer **230** is disposed between the acoustic wave suppression layer **209** and the piezoelectric layer **203**.

As noted above, the piezoelectric layer **203** illustratively comprises one of LN or LT. Generally, in the representative embodiments described below, the piezoelectric layer **203** is a wafer that is previously fabricated.

The materials selected for the piezoelectric layer **203** can be divided into two types: one which has been used for a long time and with a high degree of freedom in design is used for Rayleigh wave substrates; the other, with less freedom and limited in design, is for Leaky wave substrates with low loss characteristics and easily reaches the higher frequencies by high acoustic velocity, and are mainly used for mobile communications. LN and LT materials are often used for broadband filters, and according to the filter specifications the manufacturing materials and cutting angles differ. Filters for applications that require comparatively low loss mainly generally require Leaky wave materials, while Rayleigh wave materials are predominately used for communication equipment that requires low ripple and low group delay characteristics. Among Rayleigh wave materials, ST-cut crystal has the best temperature characteristics as a piezoelectric material.

In accordance with a representative embodiment, the substrate **208** comprises crystalline silicon, which may be polycrystalline or monocrystalline, having thickness of approximately 100.0  $\mu\text{m}$  to approximately 800.0  $\mu\text{m}$ . As will become clearer as the present description continues, the material selected for use as the substrate **208**, among other considerations, is selected for ease of micromaching, using one or more of a variety of known techniques. Accordingly, other polycrystalline or monocrystalline materials besides silicon are contemplated for use as the substrate **208** of the SAW resonator structure **200**. By way of example, these materials include, but are not limited to, glass, single crystal aluminum oxide ( $\text{Al}_2\text{O}_3$ ) (sometimes referred to as "sapphire"), and polycrystalline  $\text{Al}_2\text{O}_3$ , to name a few. In certain representative embodiments, in order to improve the performance of a filter comprising SAW resonator structure(s) **200**, the substrate **208** may comprise a comparatively high-resistivity material. Illustratively, the substrate **208** may comprise single crystal silicon that is doped to a comparatively high resistivity.

The acoustic wave suppression layer **209** comprises a material selected so that longitudinal modes, or shear modes, or both, traversing the acoustic wave suppression layer **209** have a shear velocity that is less than the velocity of the shear mode in the substrate **208**, or the shear velocity of the shear mode in the piezoelectric layer **203**, or the shear velocity of the shear mode in the shear mode in silicon layer **230**. Moreover, the acoustic wave suppression layer **209** comprises a material amenable to polishing to a high degree of smoothness, as described in U.S. patent application Ser. No. 14/835,679 and in U.S. patent application Ser. No. 15/009,801.

In certain embodiments, the acoustic wave suppression layer **209** comprises carbon doped silicon oxide (CDO), for example CDO26 and CDO40 as described above. Again, other deposition conditions are possible leading to CDO materials with slightly different acoustic characteristics. In

other embodiments, other materials may be employed for acoustic wave suppression layer **209**.

The acoustic wave suppression layer **209** is deposited by a known method, such as chemical vapor deposition (CVD) or plasma enhanced chemical vapor deposition (PECVD), or may be thermally grown. As described more fully below, the acoustic wave suppression layer **209** is polished to a thickness in the range of approximately 0.05  $\mu\text{m}$  to approximately 6.0  $\mu\text{m}$ .

The silicon layer **230** is illustratively polycrystalline silicon (poly-Si) and is deposited using a known method, such as plasma-enhanced chemical vapor deposition (PECVD) or similar method. After deposition is complete, a cleaning step, such as a known sputtering step, is carried out to remove any oxide or debris from the first surface **231** of the silicon layer **230**. This cleaning step fosters bonding of the first surface to the piezoelectric layer **203**. This bonding provides good adhesion between the silicon layer **230** and the piezoelectric layer **203**.

Illustratively, the silicon layer **230** has a thickness in range of approximately 100  $\text{\AA}$  to approximately one-third of the wavelength ( $\lambda/3$ ) of a SAW wave, where the wavelength is defined by the pitch of the interdigitated electrodes **202** (IDT) and the velocity of sound in the medium ( $L=v_d/2*\text{pitch}$ ). Generally, the thickness of the silicon layer **230** is selected to be thick enough so that it is atomically smooth and continuous, and not too thick that the desired scattering of spurious modes from the features **216** does not occur. To this end, if the silicon layer **230** is too thin, unevenness across the thickness can result in relative peaks and valleys across the first surface **231** and incomplete coverage of the underlying layer. These peaks and valleys deleteriously reduce the area of contact between the first surface **231** and the second surface **211** of the piezoelectric layer **203**. By contrast, if the silicon layer **230** is too thick, the silicon layer **230** is like a substrate without features **216**, allowing undesired spurious modes to propagate without incoherent reflection as is realized by the structure of the present teachings.

The piezoelectric layer **203** has a first surface **210**, and a second surface **211**, which opposes the first surface **210**. The acoustic wave suppression layer **209** has a first surface **212** and a second surface **213**, and the silicon layer **230** has a first surface **231** and a second surface **232**. As depicted in FIG. 2, the first surface **231** of the silicon layer **230** is atomically bonded to the second surface **211** of the piezoelectric layer **203**, as described more fully below.

The substrate **208** has a first surface **214** and a second surface **215** opposing the first surface **214**. The first surface **214** has a plurality of features **216** there-across. As noted above, undesired spurious modes are launched in the piezoelectric layer **203**, and propagate down to the first surface **214**. As described more fully above and in above-incorporated U.S. patent application Ser. No. 15/009,801, the plurality of features **216** reflect undesired spurious modes at various angles and over various distances to destructively interfere with the undesired spurious waves in the piezoelectric layer **203**, and possibly enable a portion of these waves to be beneficially converted into a desired electrical signal. Again as described more fully below, the reflections provided by the plurality of features **216** foster a reduction in the degree of spurious modes (i.e., standing waves), which are created by the reflection of acoustic waves at the interface of the second surface **211** of the piezoelectric layer **203** and the first surface **212** of the acoustic wave suppression layer **209**. Ultimately, the reflections provided by the

15

plurality of features **216** serve to improve the performance of devices (e.g., filters) that comprise a plurality of SAW resonator structures **200**.

As noted above, and as described in above-incorporated U.S. patent application Ser. No. 15/009,801, in accordance with a representative embodiment, the first (upper) surface **231** of silicon layer **230** is polished, such as by chemical-mechanical polishing in order to obtain a “mirror” like finish with a comparatively low root-mean-square (RMS) variation of height. This low RMS variation of height significantly improves the contact area between the first surface **231** of the silicon layer **230** and the second surface **211** of the piezoelectric layer **203**. Accordingly, providing a low RMS variation in height improves the atomic bonding between the first surface **231** and the second surface **211**. As is known, the bond strength realized by atomic bonding is directly proportional to the contact area between two surfaces. As such, improving the flatness/smoothness of the first surface **231** fosters an increase in the contact area, thereby improving the bond of the silicon layer **230** to the piezoelectric layer **203**. As used herein, the term atomically smooth means sufficiently smooth to provide sufficient contact area to provide a sufficiently strong bond strength between the silicon layer **230** and the piezoelectric layer **203**, at the interface of their first and second surfaces **231**, **211**, respectively.

It is noted that the polishing sequence described above to provide the desired smoothness of the first side **231** of the silicon layer **230** may be foregone if the deposition sequence used to form the silicon layer **230** results in an atomically smooth first side **231**.

As noted above, when connected in a selected topology, a plurality of SAW resonators can function as an electrical filter. FIG. 3 shows a simplified schematic block diagram of an electrical filter **300** in accordance with a representative embodiment. The electrical filter **300** comprises series SAW resonators **301** and shunt SAW resonators **302**. The series SAW resonators **301** and shunt SAW resonators **302** may each comprise SAW resonator structures **100**, **200** described in connection with the representative embodiments of FIGS. 1A~2. As can be appreciated, the SAW resonator structures (e.g., a plurality of SAW resonator structures **100**) that comprise the electrical filter **300** may be provided over a common substrate (e.g., substrate **108**), or may be a number of individual SAW resonator structures (e.g., SAW resonator structures **100**) disposed over more than one substrate (e.g., more than one substrate **108**). The electrical filter **300** is commonly referred to as a ladder filter, and may be used for example in duplexer applications. It is emphasized that the topology of the electrical filter **300** is merely illustrative and other topologies are contemplated. Moreover, the acoustic resonators of the representative embodiments are contemplated in a variety of applications including, but not limited to duplexers.

The various components, materials, structures and parameters are included by way of illustration and example only and not in any limiting sense. In view of this disclosure, those skilled in the art can implement the present teachings in determining their own applications and needed components, materials, structures and equipment to implement these applications, while remaining within the scope of the appended claims.

The invention claimed is:

1. A surface acoustic wave (SAW) resonator structure, comprising:

a substrate having a first surface and a second surface, the first surface having a plurality of features;

16

a piezoelectric layer disposed over the substrate, the piezoelectric layer having a first surface and a second surface;

a plurality of electrodes disposed over the first surface of the piezoelectric layer, the plurality of electrodes configured to generate surface acoustic waves in the piezoelectric layer; and

an acoustic wave suppression layer having a first surface and a second surface, the acoustic wave suppression layer being disposed between the first surface of the substrate and the second surface of the piezoelectric layer, the acoustic wave suppression layer having a thickness in a range of approximately 300 Å to approximately one third of a wavelength ( $\lambda/3$ ) of a resonance mode of the SAW resonator structure, the first surface of the acoustic wave suppression layer having a smoothness sufficient to foster atomic bonding between the first surface of the acoustic wave suppression layer and the second surface of the piezoelectric layer, wherein the plurality of features reflect acoustic waves and reduce an incidence of spurious modes in the piezoelectric layer.

2. A SAW resonator structure as claimed in claim 1, wherein the reflected acoustic waves destructively interfere with acoustic waves in the piezoelectric layer.

3. A SAW resonator structure as claimed in claim 1, wherein the plurality of features in the first surface of the substrate are substantially pyramidal in shape.

4. A SAW resonator structure as claimed in claim 3, wherein the plurality of features are substantially not in a regular pattern.

5. A SAW resonator structure as claimed in claim 3, wherein the plurality of features have a height of approximately one-fourth of a wavelength ( $1/4 \lambda$ ) of a spurious mode.

6. A SAW resonator structure as claimed in claim 3, wherein the plurality of features have a height in a range of approximately 0.25  $\mu\text{m}$  to approximately 1.5  $\mu\text{m}$ .

7. A SAW resonator structure as claimed in claim 3, wherein the plurality of features have a height in a range of approximately 0.1  $\mu\text{m}$  to approximately 2.50  $\mu\text{m}$ .

8. A SAW resonator structure as claimed in claim 3, wherein the plurality of features have a plurality of heights, and each of the pluralities of heights is approximately a height in a range of approximately one-fourth of a wavelength ( $1/4 \lambda$ ) of one of the spurious modes.

9. A SAW resonator structure as claimed in claim 1, wherein a shear mode traveling in the piezoelectric layer has a first shear velocity, the shear mode traveling in the substrate has a second shear velocity, and the shear mode traveling in the acoustic wave suppression layer has a third shear velocity which is less than the first shear velocity and less than the second shear velocity.

10. A SAW resonator structure as claimed in claim 9, wherein the first surface of the acoustic wave suppression layer has a root-mean-square (RMS) variation in height of approximately 0.1 Å to approximately 10.0 Å.

11. A SAW resonator structure as claimed in claim 1, wherein the acoustic wave suppression layer comprises carbon doped silicon oxide (CDO).

12. A SAW resonator structure as claimed in claim 11, wherein the CDO comprises one of CDO deposited at 2.6 Torr and CDO deposited at 4.0 Torr.

13. A SAW resonator structure as claimed in claim 1, wherein a shear velocity of an acoustic wave in the acoustic wave suppression layer is smaller than a shear velocity of the acoustic wave in the piezoelectric layer substantially pre-

17

venting total internal reflection of the acoustic wave propagating in a direction from the piezoelectric layer to the substrate.

14. A surface acoustic wave (SAW) filter comprising a plurality of SAW resonator structures, one or more of the plurality of SAW resonator structures comprising:

a substrate having a first surface and a second surface, the first surface having a plurality of features;

a piezoelectric layer disposed over the substrate, the piezoelectric layer having a first surface and a second surface;

a plurality of electrodes disposed over the first surface of the piezoelectric layer, the plurality of electrodes configured to generate surface acoustic waves in the piezoelectric layer; and

an acoustic wave suppression layer disposed between the first surface of the substrate and the second surface of the piezoelectric layer, the acoustic wave suppression layer having a thickness in a range of approximately 300 Å to approximately one third of a wavelength ( $\lambda/3$ ) of a resonance mode of the SAW resonator structure, the first surface of the acoustic wave suppression layer having a smoothness sufficient to foster atomic bonding between the first surface of the acoustic wave suppression layer and the second surface of the piezoelectric layer, wherein the plurality of features reflect acoustic waves and reduce an incidence of spurious modes in the piezoelectric layer.

15. A SAW filter as claimed in claim 14, wherein the reflected acoustic waves do not foster constructive interference with acoustic waves in the piezoelectric layer.

16. A SAW filter as claimed in claim 15, wherein the plurality of features are substantially not in a regular pattern.

17. A SAW filter as claimed in claim 15, wherein the plurality of features have a height of approximately one-fourth of a wavelength ( $1/4 \lambda$ ) of a spurious mode.

18

18. A SAW filter as claimed in claim 14, wherein the plurality of features in the first surface of the substrate are substantially pyramidal in shape.

19. A SAW filter as claimed in claim 14, wherein the plurality of features have a height in a range of approximately 0.25  $\mu\text{m}$  to approximately 1.5  $\mu\text{m}$ .

20. A SAW filter as claimed in claim 19, wherein the first surface of the acoustic wave layer has a root-mean-square (RMS) variation in height of approximately 1.0 Å to approximately 10.0 Å or less.

21. A SAW filter as claimed in claim 14, wherein the plurality of features have a height in a range of approximately 0.1  $\mu\text{m}$  to approximately 2.50  $\mu\text{m}$ .

22. A SAW filter as claimed in claim 14, wherein the plurality of features have a plurality of heights, and each of the pluralities of heights is approximately a height in a range of approximately one-fourth of a wavelength ( $1/4 \lambda$ ) of one of the spurious modes.

23. A SAW filter as claimed in claim 14, wherein the SAW filter is a ladder filter, comprising the plurality of the SAW resonator structures.

24. A SAW filter as claimed in claim 14, wherein two or more of the plurality of SAW resonator structures are configured in a series and shunt configuration.

25. A SAW filter structure as claimed in claim 14, wherein the acoustic wave suppression layer comprises carbon doped silicon oxide (CDO).

26. A SAW filter structure as claimed in claim 25, wherein the CDO comprises one of CDO deposited at 2.6 Torr and CDO deposited at 4.0 Torr.

27. A SAW filter as claimed in claim 14, wherein a shear velocity of an acoustic wave in the acoustic wave suppression layer is smaller than a shear velocity of the acoustic wave in the piezoelectric layer substantially preventing total internal reflection of the acoustic wave propagating in a direction from the piezoelectric layer to the substrate.

\* \* \* \* \*