

Figura 1




Figura 2

Veteno	Massa molecular (kDa)	pI	pH ótimo	Temperatura ótima
<i>A. actus</i>	43	11,3	5	37
<i>A. c. mormis</i>	30,2	9	4	37
<i>contortrix</i>				
<i>H. vage</i>	70,4	9,2	5	37
<i>isiformis</i>	52	9,7	5	37
<i>H. fulipes</i>	52	ND	4	30
<i>T. viridulus</i>	51	ND	6	40
<i>A. malpica</i>	41	9	6	37
<i>S. horrida</i>	62	9,2	6	37
<i>H. horridum</i>	63	5,1	5	Sensível
<i>horridum</i>				
<i>L. obliqua</i>	49	ND	6-7	37
<i>isiformis</i>	53	ND	6-7	37
<i>L. rectus</i>	33	ND	5-6,6	37
<i>isiformis</i>	63	ND	5-6,6	37
<i>frmaculata</i>	39	ND	5-6	37
<i>S. germanica</i>	42	ND	5-6	37
<i>C. limpidus</i>	47,5	ND	5-6	37
<i>limpidus</i>				
<i>P. ragozui</i>	36	ND	5-6	37
<i>V. vulgaris</i>	43	ND	5-6	37
<i>Palamius</i>	52	ND	4,5	37
<i>palamius</i>				

Figura 3




Figura 4



Figura 4 (cont.)




Figura 5




Figura 6